

tttacaacgt cgtgactggg aaaaccctgg cgttacccaa cttaatcgcc ttgcag 296

<210> 7

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide primer

<400> 7

agcggataac aatttcacac agga 24

<210> 8

<211> 24

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide primer

<400> 8

gactggtgag tactcaacca agtc 24

<210> 9

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide primer

<400> 9

taatacgact cactataggg 20

<210> 10

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide primer

<400> 10

attaaccctc actaaaggga 20

<210> 11

<211> 54

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide primer

<400> 11

cctcgtgccg aattcttggc ctcgagggcc aaattcccta tagtgagtgt atta 54

09938744-082401

<210> 12
<211> 56
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 12
attaaccctc actaaaggga ataagcttgc ggccgctttt tttttttttt tttttt 56

<210> 13
<211> 68
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 13
attaaccctc actaaaggga ataagcttgc ggccgcttaa ttaaagatct tttttttttt 60
tttttttt 68

09938744-082401

<110> Mao, Yumin
Xie, Yi

<120> METHOD FOR LARGE SCALE cDNA CLONING AND
SEQUENCING BY CIRCULATING SUBTRACTION

<130> A34606-PCT-USA-A 072975.0111

<150> PCT/CN00/00036

<151> 2000-02-25

<150> CN 99102450.8

<151> 1999-02-26

<160> 13

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 45

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide primer

<400> 1

aactggaaga attcgcggcc gcaggaattt tttttttttt ttttt

45

<210> 2

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide primer

<400> 2

ggccgcagga at

12

<210> 3

<211> 53

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide primer

<221> misc_feature

<222> (30)...(35)

<223> Independently A, T, G, or C; length of this
feature may vary between 2 and 6 nucleotides

<400> 3

tgttaccaat ctgaagtggg agcggccgcg nnnnnntttt tttttttttt ttt

53

09933744.082401

<210> 4
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<221> misc_feature
<222> (30)...(35)
<223> Independently A, T, G, or C; length of this
feature may vary between 2 and 6 nucleotides

<400> 4
tgttaccaat ctgaagtggg agcggccgcn nnnnnntttt tttttttttt tttttttttt 60

<210> 5
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> Oligonucleotide primer

<400> 5
aactggaaga attaattaaa gatctttttt tttttttttt ttt 43

<210> 6
<211> 296
<212> DNA
<213> Artificial Sequence

<220>
<223> pT7T3-Pac polylinker

<221> primer_bind
<222> (54)...(77)
<223> M13 reverse sequencing primer binding site

<221> promoter
<222> (103)...(123)
<223> T7 promoter

<221> promoter
<222> (198)...(217)
<223> T3 promoter

<221> primer_bind
<222> (249)...(265)
<223> M13 sequencing primer binding site

<400> 6
caccacaggc tttaacttt atgcttccg ctcgtatgtt gtgtggaatt gtgagcggat 60
aacaatttca cacaggaaac agctatgaca tgattacgaa ttaatacga ctactatag 120
ggaatttggc cctcgaggcc aagaattccc gactacgtag tcggggatcc gtcttaatta 180
agcggccgca agcttattcc cttagtgag ggtaatttt agcttgccac tggccgtcgt 240

09938744.032404